### **UC Life Denmark**



Nordic Platform meeting 2019 Sofia Kølmel, Næstved Municipality










# The LIFE-projekt

### Project title:

Actions for improved conservation status of the Thick Shelled River Mussel (*Unio Crassus*) in Denmark











## Konklusions

- Filming with an underwater drone is difficult and timeconsuming, but also good visual documentation in deep river systems
- The zebra mussel might not to be a problem for the Thick Shelled River Mussel because of difference in habitat







## Our project site is the river Suså

Suså is the largest river in Eastern Denmark



Location of the river Suså










# Our project site is the river Suså



 The river catchment area is app. 12 % of Zealand












### The Thick Shelled River Mussel (Unio Crassus)











## The Thick Shelled River Mussel (*Unio Crassus*)





#### Believed to be extinct from DK

Found in the river-system of Odense River in 2003 Found in the river-system of the Suså in 2008

#### **Unio Crassus:**

- Filters the water to feed
- Shells are habitat for other organisms
- Lives in the river bed
- Lives 40-50 years (some live up to 90 years)
- Lives in rivers with good water quality and moderate velocity and good fysical variation
- Needs host fish to develop

Is a keystone-species to the river












# **UC** monitoring





2017:

Torpe Kanal: 6 living individuals Upper Suså: 6 living individuals

2018 Three of these died in the hot summer

N/EST/ED







# The marvelous world of the Thick Shelled River Mussel and its host fish











## Host fish (primarily)

Minnow (Phoxinus phoxinus)



### European Bullhead (Cottus gobio)












# Fish monitoring 2015



Fish per 100 m river



# European Bullhead from Sweden

## Minnow from Funen

## Skånsk fisk ska hjälpa hotad mussla rena danska vatten



Hågerup Å, Funen



Aftonbladet 2018









# The invasive Zebra Mussel (Dreissena polymorpa)

- The Zebra mussel is not dependent of a host fish to develop
- needs a hard surface
- attaches itself with byssus threads



Dreissena polymorpha









# The invasive Zebra Mussel (Dreissena polymorpa)

- Originally from the Caspian Sea
- Reported in Zealand in 1840
- In the lakes in the Suså riversystem the last 40-50 years



Dreissena polymorpha
The IUCN Red List of Threatened Species









# The invasive Zebra Mussel (Dreissena polymorpa)

- Native mussels are overgrown
- Outperform the native mussels for food
- Native mussels starves
- Movement inhibited



Vejle Amt 2006









# Monitoring for the Zebra Mussel?

- Aquascope
- Camera
- not suitable for deep rivers

 New technology -Powerray underwater drone























## Konklusions

- Filming with an underwater drone is difficult and timeconsuming, but also good visual documentation in deep river systems
- The zebra mussel might not to be a problem for the Thick Shelled River Mussel because of difference in habitat









## Follow us on:

## www.uclife.dk

